

CampaignServicePortType

Original interface

« interface »
CampaignServicePortType

+updateStatusForCampaigns()
+updateStatusForCampaign()
+updateCampaigns()
+updateCampaign()
+setOptimizationGuidelinesForCampaign()
+setCampaignOptimizationON()
+getStatusForCampaign()
+getOptimizationGuidelinesForCampaign()
+getMinBidForCampaignOptimizationGuidelines()
+getCampaignsByAccountIDByCampaignStatus()
+getCampaignsByAccountID()
+getCampaigns()
+getCampaignKeywordCount()
+getCampaignAdGroupCount()
+getCampaign()
+deleteCampaigns()
+deleteCampaign()
+addCampaigns()
+addCampaign()

Web service container

Refactored interface

« interface »
CampaignServicePortType_1

+updateStatusForCampaign()
+updateStatusForCampaigns()
+getStatusForCampaign()
+getCampaignsByAccountIDByCampaignStatus()
+getCampaignsByAccountID()

« interface »
CampaignServicePortType_2

+getCampaign()
+getCampaigns()
+addCampaigns()
+addCampaign()
+deleteCampaigns()
+deleteCampaign()
+updateCampaigns()
+updateCampaign()

« interface »
CampaignServicePortType_3

+getOptimizationGuidelinesForCampaign()
+setOptimizationGuidelinesForCampaign()
+getMinBidForCampaignOptimizationGuidelines()
+setCampaignOptimizationON()

« interface »
CampaignServicePortType_4

+getCampaignKeywordCount()
+getCampaignAdGroupCount()

Web service container